



DEPARTMENT OF
ECOLOGY
State of Washington

Addendum to Quality Assurance Project Plan

Yakima Railroad Area Groundwater Performance Monitoring

June 2017

Publication No. 17-03-112

Publication Information

Addendum

This addendum is on the Department of Ecology's website at <https://fortress.wa.gov/ecy/publications/SummaryPages/1703112.html>

This addendum is being filed to document the addition of new sampling locations to the Yakima Railroad Area project. Refer to the original QAPP [Yakima Railroad Area Groundwater Performance Monitoring](#) for detailed project sampling and laboratory procedures.

Data for this project will be available on Ecology's Environmental Information Management (EIM) website at www.ecy.wa.gov/eim/index.htm. Search Study ID YRRA.

More details about this project are available at: <https://fortress.wa.gov/ecy/gsp/Sitepage.aspx?csid=6338>

Activity Tracker code

Ecology's Activity Tracker code for this addendum is 12-049.

Author and Contact Information

Pamela B. Marti
Environmental Assessment Program
Washington State Department of Ecology
PO Box 47600
Olympia, WA 98504-76000

For more information contact: Communications Consultant, phone 360-407-6764.

Any use of product or firm names in this publication is for descriptive purposes only and does not imply endorsement by the author or the Department of Ecology.

Accommodation Requests: To request ADA accommodation including materials in a format for the visually impaired, call Ecology at 360-407-6764. Persons with impaired hearing may call Washington Relay Service at 711. Persons with speech disability may call TTY at 877-833-6341.

Addendum to Quality Assurance Project Plan

Yakima Railroad Area Groundwater Performance Monitoring

June 2017

Approved by:

Signature: _____

Kyle Parker, Client, Toxics Cleanup Program, Central Regional Office

Date: _____

Signature: _____

Valerie Bound, Client's Section Manager, Toxics Cleanup Program, Central Regional Office

Date: _____

Signature: _____

Pam Marti, Author / Project Manager, EAP

Date: _____

Signature: _____

Kirk Sinclair, Author's Unit Supervisor, EAP

Date: _____

Signature: _____

Jessica Archer, Author's Section Manager, EAP

Date: _____

Signature: _____

George Onwumere, Section Manager for Project Study Area, EAP

Date: _____

Signature: _____

Joel Bird, Director, Manchester Environmental Laboratory

Date: _____

Signature: _____

Bill Kammin, Ecology Quality Assurance Officer

Date: _____

EAP: Environmental Assessment Program

Signatures are not available on the Internet version.

3.0 Background

During routine inspections of industrial facilities in the 1980s, PCE-contaminated soil and groundwater were discovered at multiple locations in the Yakima area (Secor, 1998). After numerous investigations, the Washington State Department of Ecology defined the potentially affected area as the “Yakima Railroad Area” in 1991. Ecology identified 13 commercial or industrial facilities as potential sources of PCE contamination to groundwater within the Yakima Railroad Area (YRRA). The YRRA encompasses approximately 6 square miles of mixed industrial/commercial and residential property adjacent to the rail corridor in the cities of Yakima and Union Gap (Figure 1). The identified sources include dry cleaners, machine shops, a carbon regeneration facility, and a former pesticide formulation plant.




Figure 1. Yakima Railroad Area Sample Location Map.

During the 1990s, cleanup activities were conducted at many of the facilities. From 1999 to 2012, project monitoring wells were routinely sampled during an ongoing program to characterize groundwater PCE concentrations within the YRRA. Ecology's Environmental Assessment Program (EAP) assumed responsibility for the area-wide monitoring program in 2013.

This addendum is to document the addition of one of the identified sites, Frank Wear Cleaners, to the monitoring program.

3.2.1 History of study area

The Frank Wear Cleaners Site was a dry cleaning facility in a commercial area of Yakima. The Site is a sub-facility of the larger YRRA (Figure 1).

Dry cleaning businesses have operated at the former Frank Wear Site from the early 1940s to 2000. In the 1970s, the dry cleaning facility began using solvents containing PCE. Spills, overflows, leaks from equipment, and the on-site disposal of sludges from the spent solvent reclamation process resulted in PCE contamination in soil and groundwater at the Site.

The Site was discovered in 1985 after Ecology investigated an anonymous complaint regarding illegal dumping of PCE at Frank Wear Cleaners. Multiple dangerous waste violations were noted. Subsequent site inspections by Ecology in 1987 and 1989 confirmed the presence of PCE in the soil.

A number of environmental investigations and interim cleanup activities have occurred at the Site since 1989. In 1994, Frank Wear Cleaners and Ecology signed an Agreed Order for a remedial investigation, which resulted in an interim action to remove contaminated soil. During 1997 and 1998, a groundwater sparging system was installed and operated intermittently. The Frank Wear Cleaners building was eventually demolished in 2001, and additional contaminated soil was removed.

In July 2011, Ecology learned a day care center was operating on the Site. Results of indoor air sampling indicated PCE vapors were present in the building and had impacted indoor air quality. A soil vapor extraction (SVE) system was installed in April 2012 as a mitigation and interim cleanup measure. To further remediate the site a groundwater recirculation system (GRS) began operating in March 2014. The GRS was designed to extract groundwater from downgradient extraction wells and convey it to a remediation building where it was periodically amended with various bioremediation substrates. Due to financial constraints the system was shut down in 2016.

3.2.2 Summary of previous studies and existing data

Existing data for the Frank Wear wells to be sampled are presented in Appendix A. These wells are being added to the YRRA monitoring network.

4.0 Project Description

The project goal remains the same; EAP will provide Ecology's Toxics Cleanup Program (TCP) with groundwater quality data to monitor the effectiveness of remedial actions at the Frank Wear Cleaners site.

4.1 Project goals

Collect groundwater quality data for the target analytes of tetrachloroethene (PCE) and its by-products that are representative of the Sites groundwater conditions.

4.2 Project objectives

Monitor groundwater quality from 10 site wells on a semi-annual basis. Collect water level measurements from 2 addition wells (MW-23, MW-25) on a semi-annual basis.

5.0 Organization and Schedule

5.5 Budget and funding

Analytical costs for one year of sampling is shown in Table 1. Laboratory costs will be paid for from the YRRA fund.

Table 1. Annual Project Analytical Costs.

Parameter	Number of Samples			Cost per Sample ¹	Cost per Event
	Field	QC	Total		
cVOCs (April)	10	1	11	\$163	\$1793
cVOCs (October)	10	1	11	\$163	\$1793
Total Project Cost					\$3586

¹ Assumes MEL *planned* price (50% discount)
cVOCs: chlorinated volatile organic compounds

7.0 Study Design

7.2.1 Sampling location and frequency

Groundwater samples will be collected semi-annually from 10 of the Site monitoring wells. The location and historic monitoring results for these wells are shown in Figure 2 and Appendix A.

15.0 References

Hart Crowser, 2015. Groundwater Remediation System Draft Action Plan – Former Frank Wear Cleaners Site, Yakima, Washington. File No. 17800-23/Task 6, March 28, 2013.

Hart Crowser, 2015. Annual Performance Report – Former Frank Wear Cleaners Site, Yakima, Washington. File No. 17800-23/Task 9, April 2, 2015.

Marti, P., 2013. Quality Assurance Project Plan: Yakima Railroad Area Groundwater Performance Monitoring. Washington State Department of Ecology, Olympia, WA. Publication No. 13-03-113. <https://fortress.wa.gov/ecy/publications/SummaryPages/1303113.html>

Marti, P., 2014. Yakima Railroad Area PCE Contamination - Groundwater Quality Performance Monitoring, 2013. Washington State Department of Ecology, Olympia, WA. Publication No. 14-03-045. <https://fortress.wa.gov/ecy/publications/SummaryPages/1403045.html>

Marti, P., 2016. Yakima Railroad Area PCE Contamination - Groundwater Quality Performance Monitoring, Data Summary 2014-2015. Washington State Department of Ecology, Olympia, WA. Publication No. 16-03-031. <https://fortress.wa.gov/ecy/publications/SummaryPages/1603031.html>

Secor, 1998. Draft Remedial Investigation Yakima Railroad Area; Yakima, Washington. Secor PN: 00378-001-02. December 1998.




Figure 2. Frank Wear Site and Well Locations.

Appendix A. Frank Wear Site Wells to be added to the Yakima Railroad Area Monitoring Network

Table A-1: Summary of Analytical Results (ug/L) for Frank Wear Cleaners Shallow Wells, September 2012 to March 2016.

Date	FWMW-4				FWMW-5				FWMW-6			
	PCE	TCE	Cis-DCE	VC	PCE	TCE	Cis-DCE	VC	PCE	TCE	Cis-DCE	VC
9/2012	6.3	1 U	1 U	1 U	2.1	1 U	1 U	1 U	1.7	1 U	1 U	1 U
12/2012	9.1	1 U	1 U	1 U	8.8	1 U	1 U	1 U	2.2	1 U	1 U	1 U
3/2013	740	1 U	1 U	1 U	2.4	1 U	1 U	1 U	3.4	1 U	1 U	1 U
1/2014	150	1 U	1 U	1 U	1.5	1 U	1 U	1 U	1.5	1 U	1 U	1 U
5/2014	940	10 U	10 U	0.02 U	17000	220	520	0.052	1700	69	140	0.02 U
8/2014	320	150	200	0.2	76	15000	7700	1 U	570	5000	5000	0.83
11/2014	9.4	4.7	300	77	5 U	5 U	3200	620	19	8.6	390	26
2/2015	1500	39	41	60	37	60	230	250	31	19	130	7.2
5/2015	4.8	0.97	10	2	13	160	540	42	45	24	85	7.3
8/2015	12	5.9	55	1.3	98	150	1100	210	61	43	93	2.6
12/2015	11	6.3	52	2.2	61	220	350	83	7.1	18	51	0.2 U
3/2016	0.73	1.7	190	210	50 U	20 U	200	90	7.6	4.2	15	0.28
MTCA CL	5	5	70	0.2	5	5	70	0.2	5	5	70	0.2

Date	FWMW-10				FWMW-16				FWMW-20			
	PCE	TCE	Cis-DCE	VC	PCE	TCE	Cis-DCE	VC	PCE	TCE	Cis-DCE	VC
9/2012	11000	1.8	1.2	1 U	63	1 U	1 U	1 U	9.2	1 U	1 U	1 U
12/2012	44000	7.5	3	1 U	110	1 U	1 U	1 U	7	1 U	1 U	1 U
3/2013	1100	1 U	2.7	1 U	93	1 U	1 U	1 U	10	1 U	1 U	1 U
1/2014	3300	1 U	1 U	1 U	84	1 U	1 U	1 U	5.8	1 U	1 U	1 U
5/2014	1900	470	900	0.18	73	0.21	0.1 U	0.02 U	610	49	110	0.02 U
8/2014	3000	5500	5700	2 U	52	0.13	0.1 U	0.02 U	84	35	78	0.02 U
11/2014	370	190	3600	400	70	0.15	0.1 U	0.02 U	200	16	170	3.8
2/2015	2000	290	620	70	78	0.2 U	0.2 U	0.02 U	37	19	160	14
5/2015	2200	780	940	71	100	0.23	0.73	0.02 U	71	26	180	7.5
8/2015	330	320	880	28	72	0.21	0.57	0.073	340	23	95	2.1
12/2015	5200	850	990	110	66	0.2 U	1	0.02 U	310	29	120	1.1
3/2016	3400	500	340	16	71	20 U	20 U	2 U	29	17	64	0.86
MTCA CL	5	5	70	0.2	5	5	70	0.2	5	5	70	0.2

Date	FWMW-24			
	PCE	TCE	Cis-DCE	VC
9/2012	110	1 U	1 U	1 U
12/2012	170	1 U	1 U	1 U
3/2013	75	1 U	1 U	1 U
1/2014	34	1 U	1 U	1 U
5/2014	1000	140	330	0.024
8/2014	61	59	150	0.02 U
11/2014	27	18	440	21
2/2015	20	12	100	3
5/2015	32	17	120	13
8/2015	19	6.6	23	2
12/2015	82	37	130	12
3/2016	11	19	140	4.4
MTCA CL	5	5	70	0.2

Table A-2: Summary of Analytical Results (ug/L) for Frank Wear Cleaners Deep Wells, September 2012 to March 2016.

Date	FWMW-17				FWMW-18				FWMW-19			
	PCE	TCE	Cis-DCE	VC	PCE	TCE	Cis-DCE	VC	PCE	TCE	Cis-DCE	VC
9/2012	1 U	1 U	1 U	1 U	5.7	1 U	1 U	1 U	1 U	1 U	1 U	1 U
12/2012	1 U	1 U	1 U	1 U	1.1	1 U	1 U	1 U	1 U	1 U	1 U	1 U
3/2013	1.1	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1/2014	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
5/2014	0.19	0.1 U	0.1 U	0.02 U	0.56	0.1 U	0.1 U	0.02 U	0.12	0.1 U	0.1 U	0.02 U
8/2014	0.17	0.1 U	0.1 U	0.02 U	0.34	0.15	0.11	0.02 U	0.1 U	0.1 U	0.1 U	0.02 U
11/2014	0.1 U	0.1 U	0.52	0.02 U	0.31	0.1 U	0.44	0.02 U	0.11	0.1 U	0.1 U	0.02 U
2/2015	0.5 U	0.2 U	0.2 U	0.086	0.5 U	0.2 U	2.1	0.02 U	0.5 U	0.2 U	0.2 U	0.02 U
5/2015	0.5 U	0.2 U	1.9	0.02 U	0.5 U	0.2 U	0.42	2.9	0.5 U	0.2 U	0.2 U	0.02 U
8/2015	5 U	2 U	2 U	0.2 U	0.5 U	0.2 U	0.2 U	0.02 U	0.62	0.37	0.54	0.02 U
12/2015	2	0.2	1.9	0.02 U	0.5 U	0.2 U	0.23	0.02 U	0.5 U	0.2 U	0.2 U	0.02 U
3/2016	100 U	40 U	40 U	4 U	0.5 U	0.2 U	0.55	0.02 U	0.5 U	0.2 U	0.2 U	0.053
MTCA CL	5	5	70	0.2	5	5	70	0.2	5	5	70	0.2

Table A-3. Construction Details for Frank Wear Cleaners Wells.

Well ID	Well Installation Date	Well Tag ID	Latitude (decimal degrees)	Longitude (decimal degrees)	TOC Elevation (feet)	TOC Stickup (feet)	Ground Surface Elevation (feet)	Casing Diameter (inches)	Well Depth from TOC (feet)	Screen Depth (from TOC)	
										Top (feet)	Bottom (feet)
Shallow Wells											
FWMW-4	2/1995	NA	46.598239	-120.511674	1064.45	-0.5	1064.95	2	35	10	35
FWMW-5	1997	NA	46.598980	-120.512588	1067.68	-0.48	1068.16	2	35	15	35
FWMW-6	5/2005	AKN055	46.598796	-120.512500	1066.99	-0.2	1067.19	2	35	15	35
FWMW-10	5/2005	AKN059	46.598930	-120.512011	1066.00	-0.44	1066.44	2	35	15	35
FWMW-16	5/2012	BHH289	46.599146	-120.512846	1068.92	-0.54	1069.46	2	35	30	35
FWMW-20	6/2012	BHH293	46.598578	-120.511961	1063.97	-0.28	1064.25	4	35	30	35
FWMW-24	6/2012	BHH293	46.597386	-120.510840	1062.22	0.0	1062.22	4	35	25	35
Deep Wells											
FWMW-17	5/2012	BHH290	46.599155	-120.512816	1069.10	-0.34	1069.44	2	93	88	93
FWMW-18	6/2012	BHH291	46.598908	-120.512083	1066.07	2.14	1063.93	2	92	87	92
FWMW-19	6/2012	BHH292	46.598569	-120.511805	1064.07	2.05	1062.02	2	93	88	93